

Attorney Docket No. 57761.000137  
GE Docket No. 11RC-4959  
Application Serial No. 09/877,226

IN THE CLAIMS:

Please amend the claims as set forth below.

1. (Currently amended) A system for monitoring a utility substation comprising:  
monitoring equipment operatively connected to a utility substation for monitoring  
operating conditions of the utility substation;  
the monitoring equipment being operatively connected to an application service provider  
through a first communication network, the application service provider being provided with a  
program to effect the monitoring;  
one or more network interface devices operatively connected to the application service  
provider by a second communication network for receiving notification of operating conditions  
of the utility substation monitored by the monitoring equipment, at least one of the network  
interface devices being in the form of a computer system, the at least one provided with a device  
program for communicating with the application service provider, the device program being  
substantially not uniquely adapted for said monitoring.
2. (Original) The system of claim 1, wherein the monitoring equipment comprises  
one or more devices for measuring the voltage and current in an electrical power utility  
substation.
3. (Original) The system of claim 1, wherein at least one of the first and second  
communication networks is the Internet.
4. (Original) The system of claim 1, wherein the first communication network and  
the second communication network comprise the same network.

Attorney Docket No. 57761.000137  
GE Docket No. 11RC-4959  
Application Serial No. 09/877,226

5. (Original) The system of claim 1, further comprising an equipment database operatively connected to at least one of the first and second communication networks, the equipment database being accessible by one or more of the application service provider and the one or more network interface devices.

6. (Original) The system of claim 1, further comprising an expertise database.

7. (Original) The system of claim 1, wherein at least one of the one or more network interface devices and the application service provider includes a reporting system for automatically generating reports relating to the operation of at least one of the utility substations.

8. (Original) The system of claim 1, wherein at least one of the one or more network interface devices and the application service provider includes a scheduling program for scheduling maintenance operations for at least one of the utility substations.

9. (Original) The system of claim 1, wherein at least one of the one or more network interface devices and the application service provider includes an administrative tracking program for providing administrative functions for at least one of the utility substations.

10. (Original) The system of claim 1, wherein at least one of the one or more network interface devices and the application service provider includes a remote operation module for remotely operating at least one of the substations.

11. (Currently amended) A system for monitoring a utility substation comprising:  
monitoring equipment, comprising one or more devices for measuring the voltage and current in an electrical power utility substation, operatively connected to a utility substation for monitoring operating conditions of the utility substation;

Attorney Docket No. 57761.000137  
GE Docket No. 11RC-4959  
Application Serial No. 09/877,226

the monitoring equipment being operatively connected to an application service provider through a first communication network, the application service provider being provided with a program to effect the monitoring;

one or more network interface devices operatively connected to the application service provider by a second communication network for receiving notification of operating conditions of the utility substation monitored by the monitoring equipment, at least one of the network interface devices being in the form of a computer system, the at least one provided with a device program for communicating with the application service provider, the device program being substantially not uniquely adapted for said monitoring;

an equipment database operatively connected to at least one of the first and second communication networks, the equipment database being accessible by one or more of the application service provider and the one or more network interface devices;

an expertise database,

wherein at least one of the one or more network interface devices and the application service provider includes a reporting system for automatically generating reports relating to the operation of at least one of the utility substations,

wherein the first and second communication networks are the Internet,

wherein at least one of the one or more network interface devices and the application service provider includes a scheduling program for scheduling maintenance operations for at least one of the utility substations,

Attorney Docket No. 57761.000137  
GE Docket No. 11RC-4959  
Application Serial No. 09/877,226

wherein at least one of the one or more network interface devices and the application service provider includes an administrative tracking program for providing administrative functions for at least one of the utility substations, and

wherein at least one of the one or more network interface devices and the application service provider includes a remote operation module for remotely operating at least one of the substations.

12. (Currently amended) A method for monitoring a utility substation comprising the steps of:

operatively connecting monitoring equipment to a utility substation for monitoring operating conditions of the utility substation;

operatively connecting the monitoring equipment to an application service provider through a first communication network, the application service provider being provided with a program to effect the monitoring;

operatively connecting one or more network interface devices to the application service provider by a second communication network for receiving notification of operating conditions of the utility substation monitored by the monitoring equipment, at least one of the network interface devices being in the form of a computer system, the at least one provided with a device program for communicating with the application service provider, the device program being substantially not uniquely adapted for said monitoring.

Attorney Docket No. 57761.000137  
GE Docket No. 11RC-4959  
Application Serial No. 09/877,226

13. (Original) The method of claim 12, wherein the monitoring equipment comprises one or more devices for measuring the voltage and current in an electrical power utility substation.

14. (Original) The method of claim 12, wherein at least one of the first and second communication networks is the Internet.

15. (Original) The method of claim 12, wherein the first communication network and the second communication network comprise the same network.

16. (Original) The method of claim 12, further comprising the step of operatively connecting an equipment database to at least one of the first and second communication networks the equipment database being accessible by one or more of the application service provider and the one or more network interface devices.

17. (Previously presented) The method of claim 12, further comprising the step of incorporating an expertise database into at least one of the one or more network interface devices and the application service provider.

18. (Previously presented) The method of claim 12, further comprising the step of incorporating a reporting system for automatically generating reports relating to the operation of at least one of the utility substations into at least one of the one or more network interface devices and the application service provider.

19. (Previously presented) The method of claim 12, further comprising the step of incorporating a scheduling program for scheduling maintenance operations for at least one of the

Attorney Docket No. 57761.000137  
GE Docket No. 11RC-4959  
Application Serial No. 09/877,226

utility substations into at least one of the one or more network interface devices and the application service provider.

20. (Previously presented) The method of claim 12, further comprising the step of incorporating an administrative tracking program for providing administrative functions for at least one of the utility substations into at least one of the one or more network interface devices and the application service provider.

21. (Previously presented) The method of claim 12, further comprising the step of incorporating a remote operation module for remotely operating at least one of the substations into at least one of the one or more network interface devices and the application service provider.

22. (Currently amended) A method for monitoring a utility substation comprising the steps of:

operatively connecting monitoring equipment, comprising one or more devices for measuring the voltage and current in an electrical power utility substation, to a utility substation for monitoring operating conditions of the utility substation;

operatively connecting the monitoring equipment to an application service provider through a first communication network, the application service provider being provided with a program to effect the monitoring;

operatively connecting one or more network interface devices to the application service provider by a second communication network for receiving notification of operating conditions of the utility substation monitored by the monitoring equipment, at least one of the network

Attorney Docket No. 57761.000137  
GE Docket No. 11RC-4959  
Application Serial No. 09/877,226

interface devices being in the form of a computer system, the at least one provided with a device program for communicating with the application service provider, the device program being substantially not uniquely adapted for said monitoring,

wherein the first and second communication networks are the Internet,  
operatively connecting an equipment database to at least one of the first and second communication networks the equipment database being accessible by one or more of the application service provider and the one or more network interface devices;

incorporating an expertise database into at least one of the one or more network interface devices and the application service provider;

incorporating a reporting system for automatically generating reports relating to the operation of at least one of the utility substations into at least one of the one or more network interface devices and the application service provider;

incorporating a scheduling program for scheduling maintenance operations for at least one of the utility substations into at least one of the one or more network interface devices and the application service provider;

incorporating an administrative tracking program for providing administrative functions for at least one of the utility substations into at least one of the one or more network interface devices and the application service provider; and

incorporating a remote operation module for remotely operating at least one of the substations into at least one of the one or more network interface devices and the application service provider.

Attorney Docket No. 57761.000137  
GE Docket No. 11RC-4959  
Application Serial No. 09/877,226

23. (New) The system of claim 1, wherein the monitoring equipment providing historical information surrounding a fault condition, the historical information being used for diagnosing a problem in the utility substation.

24. (New) The system of claim 23, wherein the historical information includes at least one of system settings, actual conditions, oscillographic information, and events at the time of the problem.

25. (New) The method of claim 16, further comprising querying the equipment database to locate spare parts for repair of faulty equipment.